



SAFETY DATA SHEET

034 Neutral Cure Silicone
Date of Preparation: September 17, 2015

Section 1: IDENTIFICATION

Product Name: O34 Neutral Cure Silicone
Synonyms: Not available.
Product Use: Sealant.
Manufacturer/Supplier: Selena USA, Inc.
486 Century Lane
Holland, MI 49423
Emergency Phone: ChemTrec: 1-800-424-9300
Date of Preparation of SDS: September 17, 2015

Section 2: HAZARD(S) IDENTIFICATION

GHS INFORMATION

Classification: Eye Irritation, Category 2A
Sensitization – Skin, Category 1

LABEL ELEMENTS

Hazard Pictogram(s): 

Signal Word: Warning

Hazard statements: Causes serious eye irritation.
May cause an allergic skin reaction.

Precautionary Statements

Prevention: Avoid breathing mist, vapours, or spray.
Wash thoroughly after handling.
Contaminated work clothing should not be allowed out of the workplace.

Response: IF ON SKIN: Wash with plenty of water.
IF IN EYES: Rinse cautiously with water for several minutes. Remove Contact lenses, if present and easy to do. Continue rinsing.
If skin irritation or rash occurs: Get medical advice/attention.



SAFETY DATA SHEET

034 Neutral Cure Silicone

Date of Preparation: September 17, 2015

If eye irritation persists: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

Storage: Not applicable.

Disposal: Dispose of contents/container in accordance with applicable regional, national and local laws and regulations.

Hazards Not Otherwise Classified: Not applicable.

Ingredients with Unknown Toxicity: 4% of this product mixture consists of ingredient(s) of unknown acute toxicity.

This material is considered hazardous by the OSHA Hazard Communication Standard, (29 CFR 1910.1200).

This material is considered hazardous by the Hazardous Products Regulations, 2015.

Section 3: COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Ingredient(s)	Common name / Synonyms	CAS No.	% wt./wt.
2-Butanone, 2,2',2''-(O,O',O''-(methylsilylidyne)trioxime)	Not available.	22984-54-9	2-3
1,2-Ethanediamine, N1-[3-(trimethoxysilyl)propyl]	Aminoethyl-aminopropyl-trimethoxysilane	1760-24-3	<1
2-Butanone, 2,2',2''-(O,O',O''-(ethenylsilylidyne)trioxime)	Not available.	2224-33-1	<1

Section 4: FIRST-AID MEASURES

Inhalation: If inhaled: Call a poison center or doctor if you feel unwell.

Acute and delayed symptoms and effects: May cause respiratory irritation. Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain. In contact with water, Aminoethyl-aminopropyl-trimethoxysilane liberates methanol and silanol- and/or siloxanol-compounds. Inhalation of Methanol exerts toxic effects upon nervous system, particularly the optic nerve. Once absorbed into the body, it is very slowly eliminated.

Eye Contact: If in eyes: Rinse cautiously with water for at least 20 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.



SAFETY DATA SHEET

034 Neutral Cure Silicone
Date of Preparation: September 17, 2015

Acute and delayed symptoms and effects: Causes serious eye irritation. Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

Skin Contact: If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

Acute and delayed symptoms and effects: May cause an allergic skin reaction. May cause skin irritation. Signs/symptoms may include localized redness, swelling, and itching.

Ingestion: If swallowed: Call a poison center or doctor if you feel unwell. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration. Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.

Acute and delayed symptoms and effects: May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea. In contact with water, Aminoethyl-aminopropyl-trimethoxysilane liberates methanol and silanol- and/or siloxanol-compounds. Ingesting even small amounts of methanol could potentially cause blindness or death. Effects of sub lethal doses may be nausea, headache, abdominal pain, vomiting, blurred vision, blindness, coma and death. A person may get better but then worse again up to 30 hours later.

General Advice: In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

Note to Physicians: Symptoms may not appear immediately.

Section 5: FIRE-FIGHTING MEASURES

FLAMMABILITY AND EXPLOSION INFORMATION

Not flammable or combustible by OSHA/WHMIS criteria.

Sensitivity to Mechanical Impact: This material is not sensitive to mechanical impact.

Sensitivity to Static Discharge: This material is not sensitive to static discharge.



SAFETY DATA SHEET

034 Neutral Cure Silicone

Date of Preparation: September 17, 2015

MEANS OF EXTINCTION

Suitable Extinguishing Media:

Small Fire: Dry chemical, CO₂, water spray or regular foam.
Large Fire: Water spray, fog or regular foam. Move containers from fire area if you can do it without risk.

Unsuitable Extinguishing Media:

Not available.

Products of Combustion:

Oxides of carbon. Oxides of nitrogen. Oxides of silicon. Oxides of silicon.

Protection of Firefighters:

Runoff from fire control or dilution water may cause pollution. Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters' protective clothing will only provide limited protection.

Section 6: ACCIDENTAL RELEASE MEASURES

Emergency Procedures:

Keep unauthorized personnel away. Stay upwind. Keep out of low areas. Ventilate closed spaces before entering.

Personal Precautions:

Do not touch or walk through spilled material. Use personal protection recommended in Section 8.

Environmental Precautions:

Keep out of drains, sewers, ditches, and waterways.

Methods for Containment:

Stop leak if without risk. Do not flush to sewer or allow to enter waterways.

Methods for Clean-Up:

Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.

Other Information:

See Section 13 for disposal considerations.

Section 7: HANDLING AND STORAGE

Handling:

Do not swallow. Avoid breathing mist, vapours, or spray. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. See Section 8 for information on Personal Protective Equipment.

Storage:



SAFETY DATA SHEET

034 Neutral Cure Silicone

Date of Preparation: September 17, 2015

Store away from incompatible materials. See Section 10 for information on Incompatible Materials. Keep out of the reach of children.

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

Component

2-Butanone, 2,2',2''-(O,O',O''-(methylsilyldiyl)trioxime) [CAS No. 22984-54-9]

ACGIH: No TLV established.

OSHA: No PEL established.

Aminoethyl-aminopropyl-trimethoxysilane [CAS No. 1760-24-3]

ACGIH: No TLV established.

OSHA: No PEL established.

2-Butanone, 2,2',2''-(O,O',O''-(ethenylsilyldiyl)trioxime) [CAS No. 2224-33-1]

ACGIH: No TLV established.

OSHA: No PEL established.

PEL: Permissible Exposure Limit

TLV: Threshold Limit Value

Engineering Controls: Not normally required.

PERSONAL PROTECTIVE EQUIPMENT (PPE)



Eye/Face Protection:

Wear safety glasses. Ensure that eyewash stations are close to the workstation location. Use equipment for eye protection that meets the standards referenced by CSA Standard CAN/CSA-Z94.3-92 and OSHA regulations in 29 CFR 1910.133 for Personal Protective Equipment.

Hand Protection:

Wear protective gloves. Consult manufacturer specifications for further information.

Skin and Body Protection:

Wear protective clothing.

Respiratory Protection:

Not required under normal use conditions. If inadequate then an appropriate NIOSH/MSHA approved air-purifying respirator that meets the requirements of CSA Standard CAN/CSA-Z94.4-11, or self-contained breathing apparatus must be used. Supplied air breathing apparatus must be used when oxygen concentrations are low or if airborne concentrations exceed the limits of the air-purifying respirators.

General Hygiene Considerations:

Handle according to established industrial hygiene and safety practices. Consult a competent industrial hygienist to determine hazard potential and/or the PPE manufacturers to ensure adequate

**Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

Appearance:	White to slightly yellow paste.
Colour:	White to slightly yellow.
Odour:	Characteristic.
Odour Threshold:	Not available.
Physical State:	Liquid.
pH:	Not available.
Melting Point / Freezing Point:	Not available.
Initial Boiling Point:	Not available.
Boiling Range:	Not available.
Flash Point:	Not available.
Evaporation Rate:	Not available.
Flammability (solid, gas):	Not applicable.
Lower Flammability Limit:	Not available.
Upper Flammability Limit:	Not available.
Vapor Pressure:	Not available.
Vapor Density:	Not available.
Relative Density:	Not available.
Solubilities:	Insoluble in water.
Partition Coefficient: n-Octanol/Water:	Not available.
Auto-ignition Temperature:	Not available.
Decomposition Temperature:	Not available.
Viscosity:	Not available.
Percent Volatile, wt. %:	Not available.
VOC content, wt. %:	Not available.
Density:	1.030 g/cm ³
Coefficient of Water/Oil Distribution:	Not available

Section 10: STABILITY AND REACTIVITY

Reactivity:	Contact with incompatible materials. Sources of ignition. Exposure to heat.
Chemical Stability:	Stable under normal storage conditions.
Possibility of Hazardous Reactions:	None known.
Conditions to Avoid:	Contact with incompatible materials. Sources of ignition. Exposure to heat. Acids. Bases. Oxidizers.
Incompatible Materials:	
Hazardous Decomposition Products:	Not available.

Section 11: TOXICOLOGICAL INFORMATION

**EFFECTS OF ACUTE EXPOSURE****Product Toxicity****Oral:** Not available.**Dermal:** Not available.**Inhalation:** Not available.**Component Toxicity**

Component	CAS No.	LD50 oral	LD50 dermal	LC50
2-Butanone, 2,2',2''-(O,O',O''-(methylsilylidyne)trioxime)	22984-54-9	Not available.	Not available.	Not available.
Aminoethyl-aminopropyl-trimethoxysilane	1760-24-3	7460 uL/kg (rat)	Not available.	Not available.
2-Butanone, 2,2',2''-(O,O',O''-(ethenylsilylidyne)trioxime)	2224-33-1	Not available.	Not available.	Not available.

Likely Routes of Exposure:

Eye contact. Skin contact. Inhalation. Ingestion.

Symptoms (including delayed and immediate effects)**Inhalation:**

May cause respiratory irritation. Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain. In contact with water, Aminoethyl-aminopropyl-trimethoxysilane liberates methanol and silanol- and/or siloxanol-compounds. Inhalation of Methanol exerts toxic effects upon nervous system, particularly the optic nerve. Once absorbed into the body, it is very slowly eliminated.

Eye:

Causes serious eye irritation. Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

Skin:

May cause an allergic skin reaction. May cause skin irritation. Signs/symptoms may include localized redness, swelling, and itching.

Ingestion:

May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea. In contact with water, Aminoethyl-aminopropyl-trimethoxysilane liberates methanol and silanol- and/or siloxanol-compounds. Ingesting even small amounts of methanol could potentially cause blindness or death. Effects of sub lethal doses may be nausea, headache, abdominal pain, vomiting, blurred vision, blindness, coma and death. A person may get better but then worse again up to 30 hours later.

Skin Sensitization:

Hazardous by OSHA/WHMIS criteria. May cause sensitisation through skin contact.



SAFETY DATA SHEET

034 Neutral Cure Silicone

Date of Preparation: September 17, 2015

Respiratory Sensitization: Not available.

Medical Conditions Aggravated By Exposure: Not available.

EFFECTS OF CHRONIC EXPOSURE (from short and long-term exposure)

Target Organs: Skin. Eyes. Gastrointestinal tract. Respiratory system.

Chronic Effects: Prolonged or repeated contact may dry skin and cause irritation.

Carcinogenicity: This product does not contain any carcinogens or potential carcinogens as listed by ACGIH, IARC, OSHA, or NTP.

Mutagenicity: Not available.

Reproductive Effects: Not available.

Developmental Effects Not available.

Teratogenicity:

Embryotoxicity: Not available.

Toxicologically Synergistic Materials: Not available.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity: Not available.

Persistence / Degradability: Not available.

Bioaccumulation / Accumulation: Not available.

Mobility in Environment: Not available.

Other Adverse Effects: Not available.

Section 13: DISPOSAL CONSIDERATIONS

Disposal Instructions: Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

Section 14: TRANSPORT INFORMATION

U.S. Department of Transportation (DOT)

Proper Shipping Name: Not regulated.

Class: Not applicable.

UN Number: Not applicable.

Packing Group: Not applicable.

Label Code: Not applicable.

Canada Transportation of Dangerous Goods (TDG)

Proper Shipping Name: Not regulated.

Class: Not applicable.

UN Number: Not applicable.

Packing Group: Not applicable.

Label Code: Not applicable.



SAFETY DATA SHEET

034 Neutral Cure Silicone

Date of Preparation: September 17, 2015

Section 15: REGULATORY INFORMATION

Federal Regulations

United States

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SARA Title III

No components are listed.

State Regulations

Massachusetts

US Massachusetts Commonwealth's Right-to-Know Law (Appendix A to 105 Code of Massachusetts Regulations Section 670.000)

No components are listed.

New Jersey

US New Jersey Worker and Community Right-to-Know Act (New Jersey Statute Annotated Section 34:5A-5)

No components are listed.

Pennsylvania

US Pennsylvania Worker and Community Right-to-Know Law (34 Pa. Code Chap. 301-323)

No components are listed.

California

California Prop 65: This product does not contain chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

Section 16: OTHER INFORMATION

Disclaimer:

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for their own particular use.

Date of Preparation of SDS

September 17, 2015

Version:

1.0

GHS SDS Prepared by:

Aegis Regulatory Inc.

Phone: (519) 488-0351

www.aegisreg.com