



LEED CERTIFICATION: TECHNICAL LETTER

This document verifies that select Selena USA PU Foams, Adhesives, and Sealants enable project teams to earn credits for the **LEED® Certification of Commercial New Construction (NC) products**.

This chart below describes the applicable credit criteria.

LEED System	Applicable Credit	LEED Point Value
NC	EQ 4.1, Low-Emitting Materials	1

- Many of Selena's adhesives and sealants meet the VOC limits imposed by the US Green Building Council for **LEED Credit EQ Credit 4.1, Low-Emitting Materials**. The applicable adhesives and sealants are listed below:

Product Type	Product Name	VOC Content (g/L)
Gun PU Foam Sealant	One Component PRO	161
Gun PU Foam Sealant	Window and Door PRO	140
Gun PU Foam Sealant	Outdoor and RV PRO	139
Gun PU Foam Sealant	Extreme Climate PRO	167
Straw PU Foam Sealant	One Component Minimum Expanding	162
Straw PU Foam Sealant	Window and Door PRO	164
Neutral Silicone Sealant	Commercial Grade Neutral Cure Oxime	1.8
Neutral Silicone Sealant	Premium Neutral Cure Oxime	1.8
Neutral Silicone Sealant	Self Leveling Gutter and Seam Sealer	1.8
Neutral Silicone Sealant	Window and Door Neutral Cure Oxime	1.8
Acetoxy Silicone Sealant	Premium Grade 100% Silicone Sealant	30
Acetoxy Silicone Sealant	High Temperature Silicone Sealant	30
Acetoxy Silicone Sealant	All-Purpose Silicone Sealant	29
Enhanced Polyurethane Sealant	EPU50	1.93
Enhanced Polyurethane Sealant	EPU60	1.93
Subfloor Adhesive	Subfloor Adhesive	34

*This product has been reviewed by a third party **LEED AP**. If you have any inquiries about how this product helps projects meet LEED Certification credit criteria then please contact Vincent Bataoel, LEED AP: Vincent@abovegreen.com.*